



5.4 METHODOLOGY AND TOOLS

A risk assessment is the process of measuring the potential loss of life, personal injury, and economic and property damage resulting from identified hazards. Identifying potential hazards and vulnerable assets allows planning personnel to address and reduce hazard impacts and emergency management personnel to establish early response priorities. Results of the risk assessment are used in subsequent mitigation planning processes, including determining and prioritizing mitigation actions that reduce each jurisdiction's risk to a specified hazard. Past, present, and future conditions must be evaluated to most accurately assess risk for the county and each jurisdiction. The process focuses on the following elements:

- **Hazard identification**—Use all available information to determine what types of hazards may affect a jurisdiction.
- **Profile each hazard**—Understand each hazard in terms of:
 - Extent—Severity of each hazard.
 - Location—Geographic area most affected by the hazard.
 - Previous occurrences and losses
- **Assess Vulnerability** –
 - Exposure identification—Estimate the total number of assets in the jurisdiction that are likely to experience a hazard event if it occurs by overlaying hazard maps with the asset inventories.
 - Vulnerability identification and loss estimation—Assess the impact of hazard events on the people, property, economy, and lands of the region, including estimates of the cost of potential damage or cost that can be avoided by mitigation.
 - Future changes that may impact vulnerability—Analyze how demographic changes, projected development and climate change impacts can alter current exposure and vulnerability.

The Putnam County risk assessment was updated using best available information.

- The 2014 building stock inventory was updated using new cost adjustment values.
- 2014-2018 American Community Survey 5-year Population Estimates were utilized.
- A critical facility was generated and reviewed by the Planning Partnership and County jurisdictions.
- Lifelines were identified in the critical facility inventory to align with FEMA's lifeline definition.
- Hazus was used to estimate potential impacts to the flood, wind and seismic hazards.
- Best available hazard data was used as described in this section.

The following summarizes the asset inventories, methodology and tools used to support the risk assessment process.



5.4.1 Asset Inventories

Putnam County assets were identified to assess potential exposure and loss associated with the hazards of concern. For the HMP update, Putnam County assessed exposure and vulnerability of the following types of assets: population, buildings and critical facilities/infrastructure, new development, and the environment. Some assets may be more vulnerable because of their physical characteristics or socioeconomic uses. To protect individual privacy and the security of critical facilities, information on properties assessed is presented in aggregate, without details about specific individual personal or public properties.



The risk assessment included the collection and use of an expanded and enhanced asset inventory to estimate hazard exposure and vulnerability.

Population

Total population statistics from the 2014-2018 American Community Survey (ACS) 5-year estimate were used to estimate the exposure and potential impacts to the County’s population in place of the 2010 U.S. Census block estimates. To determine population statistics for village and towns, the population of villages was subtracted from the total town population. Population counts at the jurisdictional level were averaged among the residential structures in the County to estimate the population at the structure level. This estimate is a more precise distribution of population across the County compared to only using the Census block or Census tract boundaries. Limitations of these analyses are recognized, and thus the results are used only to provide a general estimate for planning purposes.

As discussed in Section 4 (County Profile), research has shown that some populations are at greater risk from hazard events because of decreased resources or physical abilities. Vulnerable populations in Putnam County included in the risk assessment are children, elderly, population below the poverty level, non-English speaking individuals, and persons institutionalized with a disability.

Buildings

The building stock inventory developed for the 2014 HMP was updated using new cost adjustment values. The occupancy classes available in Hazus were condensed into the following categories (residential, commercial, industrial, agricultural, religious, governmental, and educational) to facilitate the analysis and the presentation of results. Residential loss estimates address both multi-family and single-family dwellings. Replacement cost value (RCV) is the current cost of returning an asset to its pre-damaged condition, using present-day cost of labor and materials. Total replacement cost value consists of both the structural cost to replace a building and the estimate value of contents of a building. Structural and content RCV were calculated for each building utilizing RS Means 2019 values. A regional location factor for Putnam County was applied (1.22 for residential buildings and 1.16 for all other building types).



Critical Facilities and Lifelines

The 2014 HMP critical facility inventory, which includes essential facilities, utilities, transportation features and user-defined facilities was updated by the Planning Partnership and County jurisdictions. The update involved a review for accuracy, additions or deletions of new/moved critical assets, identification of backup power for each asset (if known) and whether the critical facility is considered a lifeline in accordance with FEMA’s definition; refer to Appendix E (Risk Assessment Supplement). To protect individual privacy and the security of assets, information is presented in aggregate, without details about specific individual properties or facilities.

A lifeline provides indispensable service that enables the continuous operation of critical business and government functions, and is critical to human health and safety, or economic security (FEMA).

Environment and Land Use Area

National land use land cover data created by the U.S. Geological Survey (USGS) in 2016 was used to assess land use characteristics of the County. This dataset was converted from a raster to a vector polygon, which informed spatial areas of residential, non-residential, and natural land use areas. Residential land-use types incorporated all classes listed as developed land use, except for those identified as vacant (i.e., Developed – Low Intensity, Developed – Medium Intensity, Developed – High Intensity). Non-residential land-use types included all other classes. Within non-residential land-use types, natural land areas were extracted into a new category, which includes barren land, forest, water, and wetlands. The natural land areas were referenced to calculate the total acres of natural land area exposed to hazard areas of concern.

New Development

In addition to assessing the vulnerability of the built environment, Putnam County examined recent development over the last 5 years and anticipated new development in the next 5 years. Each jurisdiction was asked to provide a list by parcel ID or address of major development that has taken place within these timeframes.

New development was identified as 1) anticipated in the next five years and 2) recently developed over the last five years. An exposure analysis was conducted in Geographic Information System (GIS) to determine hazard exposure to these development sites. Projects built on multiple parcels were assessed as one unit. If one parcel identified within the project boundary intersected a spatial hazard layer, the entire project was considered ‘exposed’ to the hazard area of concern.

Identifying these changes and integrating new development into the risk assessment provides communities information to consider when developing the mitigation strategy to reduce these vulnerabilities in the future (one tool in the Mitigation Toolbox discussed in Section 6 – Mitigation Strategy). The new development is listed in Section 4 (County Profile) and hazard exposure analysis results are presented in Section 9 (Jurisdictional Annexes) as a table in each annex.

5.4.2 Methodology

To address the requirements of the DMA 2000 and to better understand potential vulnerability and losses associated with hazards of concern, Putnam County used standardized tools, combined with local, state, and federal data and expertise to conduct the risk assessment. Three different levels of analysis were used depending upon the data available for each hazard as described below. Table 5.4-1 summarizes the type of analysis conducted by hazard of concern.



1. **Historic Occurrences and Qualitative Analysis** – This analysis includes an examination of historic impacts to understand potential impacts of future events of similar size. In addition, potential impacts and losses are discussed qualitatively using best available data and professional judgement.
2. **Exposure Assessment** – This analysis involves overlaying available spatial hazard layers, or hazards with defined extent and locations, with assets in GIS to determine which assets are located in the impact area of the hazard. The analysis highlights which assets are located in the hazard area and may incur future impacts.
3. **Loss estimation** — The FEMA HAZUS modeling software was used to estimate potential losses for the following hazards: flood, earthquake, hurricane. In addition, an examination of historic impacts and an exposure assessment was conducted for these spatially-delineated hazards.

Table 5.4-1. Summary of Risk Assessment Analyses

Hazard	General Building			
	Population	Stock	Critical Facilities	New Development
Disease Outbreak	Q	Q	Q	Q
Drought	Q	Q	Q	Q
Earthquake	E, H	E, H	E, H	E
Extreme Temperature	Q	Q	Q	Q
Flood	E, H	E, H	E, H	E
Harmful Algal Bloom	Q	Q	Q	Q
Severe Storm	H	H	H	Q
Severe Winter Storm	Q	Q	Q	Q
Terrorism	Q	Q	Q	Q
Wildfire	E	E	E	E

E – Exposure analysis; H – Hazus analysis; Q – Qualitative analysis

Hazards U.S. – Multi-Hazard (Hazus)

In 1997, FEMA developed a standardized model for estimating losses caused by earthquakes, known as Hazards U.S. or Hazus. Hazus was developed in response to the need for more effective national-, state-, and community-level planning and the need to identify areas that face the highest risk and potential for loss. Hazus was expanded into a multi-hazard methodology, Hazus with new models for estimating potential losses from wind (hurricanes) and flood (riverine) hazards. Hazus is a GIS-based software tool that applies engineering and scientific risk calculations, which have been developed by hazard and information technology experts, to provide defensible damage and loss estimates. These methodologies are accepted by FEMA and provide a consistent framework for assessing risk across a variety of hazards. The GIS framework also supports the evaluation of hazards and assessment of inventory and loss estimates for these hazards.

Hazus uses GIS technology to produce detailed maps and analytical reports that estimate a community’s direct physical damage to building stock, critical facilities, transportation systems and utility systems. To generate this information, Hazus uses default data for inventory, vulnerability, and hazards; this default data can be supplemented with local data to provide a more refined analysis. Damage reports can include induced damage (inundation, fire, threats posed by hazardous materials and debris) and direct economic and social losses (casualties, shelter requirements, and economic impact) depending on the hazard and available local data. Hazus’ open data architecture can be used to manage community GIS data in a central location. The use of this software also promotes consistency of data output now and in the future and standardization of data collection and storage. More information on Hazus is available at <http://www.fema.gov/hazus>.

In general, modeled losses were estimated in the program using depth grids for the flood analysis and probabilistic analyses were performed to develop expected/estimated distribution of losses (mean return period



losses) for hurricane wind and seismic hazards. The probabilistic model generates estimated damages and losses for specified return periods (e.g., 100- and 500-year). Table 5.4-2 displays the various levels of analyses that can be conducted using the Hazus software.

Table 5.4-2. Summary of Hazus Analysis Levels

Hazus Analysis Levels	
Level 1	Hazus provides hazard and inventory data with minimal outside data collection or mapping.
Level 2	Analysis involves augmenting the Hazus provided hazard and inventory data with more recent or detailed data for the study region, referred to as “local data”
Level 3	Analysis involves adjusting the built-in loss estimation models used for the hazard loss analyses. This Level is typical done in conjunction with the use of local data.

Disease Outbreak

Disease outbreak is a new hazard of concern for the Putnam County HMP. All of Putnam County is exposed to disease outbreak events. A qualitative assessment was conducted. Research from the Centers for Disease Control and Prevention was utilized to qualitatively assess the most recent COVID-19 outbreak.

Drought

Drought is a new hazard of concern for the Putnam County HMP. To assess the vulnerability of Putnam County to drought and its associated impacts, a qualitative assessment was conducted. The United States Department of Agriculture (USDA) Census of Agriculture 2017 was used to estimate economic impacts. Information regarding the number of farms and farmland area was extracted from the report and summarized in the vulnerability assessment. Additional resources from New York State Energy Research and Development Authority, New York State’s 2019 Hazard Mitigation Plan, New York State Division of Homeland Security & Emergency Services and the U.S. Environmental Protection Agency were used to assess the potential impacts to the population from a drought event.

Earthquake

A probabilistic assessment was conducted for Putnam County for the 2,500-year mean return period (MRPs) through a Level 2 analysis in Hazus to analyze the earthquake hazard and provide a range of loss estimates. The probabilistic method uses information from historic earthquakes and inferred faults, locations and magnitudes, and computes the probable ground shaking levels that may be experienced during a recurrence period by Census tract.

As noted in the Hazus Earthquake User Manual, “Although the software offers users the opportunity to prepare comprehensive loss estimates, it should be recognized that uncertainties are inherent in any estimation methodology, even with state-of-the-art techniques. Any region or city studied will have an enormous variety of buildings and facilities of different sizes, shapes, and structural systems that have been constructed over a range of years under diverse seismic design codes. There are a variety of components that contribute to transportation and utility system damage estimations. These components can have differing seismic resistance.” (FEMA 2020). However, Hazus’ potential loss estimates are acceptable for the purposes of this HMP.

Ground shaking is the primary cause of earthquake damage to man-made structures and soft soils amplify ground shaking. One contributor to the site amplification is the velocity at which the rock or soil transmits shear waves (S-waves). The National Earthquake Hazard Reductions Program (NEHRP) has developed five soil classifications defined by their shear-wave velocity that impact the severity of an earthquake. The soil classification system ranges from A to E, where A represents hard rock that reduces ground motions from an earthquake and E represents soft soils that amplify and magnify ground shaking and increase building damage



and losses. Class D and E NEHRP soils are the two classes most susceptible to amplified ground motion during an earthquake.

An exposure analysis was conducted for the County's assets (population, building stock, critical facilities, and new development) using NEHRP soil data provided by New York State and the national landslide susceptibility data where landslide susceptibility was listed as high susceptibility. The exposure analysis focused on soil types that would experience amplified ground motion during an earthquake (i.e., Class D and E). Assets with their centroid in the hazard areas were totaled to estimate the numbers and values vulnerable to these soil types.

Data from New York State was used in Hazus to replace default NEHRP soils. Groundwater was set at a depth of five (5) feet (default setting). The default assumption is a magnitude 7.0 earthquake for all return periods. Although damages are estimated at the census tract level, results were presented at the municipal level. Since there are multiple census tracts that contain more than one jurisdiction, an area analysis was used to extract the percent of each tract that falls within individual jurisdictions. The percentage was multiplied against the results calculated for each tract and summed for each jurisdiction.

Damage estimates are calculated for losses to buildings (structural and non-structural) and contents; structural losses include load carrying components of the structure, and non-structural losses include those to architectural, mechanical, and electrical components of the structure, such as nonbearing walls, veneer and finishes, HVAC systems, boilers, etc.

Extreme Temperatures

All of Putnam County is exposed to extreme temperature events. A qualitative assessment was conducted for the extreme temperatures hazard. Information from the Centers for Disease Control and Prevention, stakeholder plans/reports, the 2019 New York City Hazard Mitigation Plan, and the Planning Partnership were used to assess the potential impacts to the County's assets.

Flood

The 1- and 0.2-percent annual chance flood events were examined to evaluate the County's risk from the flood hazard. These flood events are generally those considered by planners and evaluated under federal programs such as NFIP.

The following data was used to evaluate exposure and determine potential future losses for this plan update:

- The Putnam County FEMA Digital Flood Insurance Rate Map (DFIRM) dated March 2013.
- The depth grid developed for the 2014 Putnam County HMP using data from the USGS 1/3 Arc Second Elevation Model, the 2-meter Resolution Digital Elevation Model, and the 2013 FEMA DFIRM.

The effective Putnam County FEMA DFIRM published in 2013 was used to evaluate exposure and determine potential future losses. The depth grid generated for the 2014 HMP was integrated into the Hazus riverine flood model used to estimate potential losses for the 1-percent annual chance flood event.

To estimate exposure to the 1-percent- and 0.2-percent annual chance flood events, the DFIRM flood boundaries were overlaid on the centroids of updated assets (population, building stock, critical facilities, and new development). Centroids that intersected the flood boundaries were totaled to estimate the building replacement cost value and population vulnerable to the flood inundation areas. A Level 2 Hazus riverine flood analysis was performed. Both the critical facility and building inventories were formatted to be compatible with Hazus and its Comprehensive Data Management System (CDMS). Once updated with the inventories, the Hazus riverine flood model was run to estimate potential losses in Putnam County for the 1-percent annual chance flood events. A user-defined analysis was also performed for the building stock. Buildings located within the floodplain were



imported as user-defined facilities to estimate potential losses to the building stock at the structural level. Hazus calculated the estimated potential losses to the population (default 2010 U.S. Census data across dasymetric blocks), potential damages to the general building stock, and potential damages to critical facility inventories based on the depth grids generated and the default Hazus damage functions in the flood model.

Harmful Algal Blooms

Harmful Algal Blooms is a new hazard for the Putnam County HMP. A qualitative assessment was conducted for the harmful algal blooms hazard. Studies and categorizations developed by the New York State Department of Environmental Conservation were used to assess the potential impact of harmful algal blooms on the County.

Severe Storm

A Hazus probabilistic analysis was performed to analyze the wind hazard losses for Putnam County for the 100- and 500-year MRP events. The probabilistic Hazus hurricane model activates a database of thousands of potential storms that have tracks and intensities reflecting the full spectrum of Atlantic hurricanes observed since 1886 and identifies those with tracks associated with Putnam County. Hazus contains data on historic hurricane events and wind speeds. It also includes surface roughness and vegetation (tree coverage) maps for the area. Surface roughness and vegetation data support the modeling of wind force across various types of land surfaces. Default demographic and updated building and critical facility inventories in Hazus were used for the analysis. Although damages are estimated at the census tract level, results were presented at the municipal level. Since there are multiple census tracts that contain more than one jurisdiction, a density analysis was used to extract the percent of building structures that fall within each tract and jurisdiction. The percentage was multiplied against the results calculated for each tract and summed for each jurisdiction.

Severe Winter Storm

All of Putnam County is exposed and vulnerable to the winter storm hazard. In general, structural impacts include damage to roofs and building frames, rather than building content. Current modeling tools are not available to estimate specific losses for this hazard. A percentage of the custom-building stock structural replacement cost value was utilized to estimate damages that could result from winter storm conditions (i.e., 1-percent, 5-percent, and 10-percent of total replacement cost value). Given professional knowledge and currently available information, the potential losses for this hazard are considered to be overestimated; hence, providing a conservative estimate for losses associated with winter storm events.

Terrorism

Terrorism is a new hazard of concern for the Putnam County HMP. All of Putnam County is exposed to terrorism attack events. A qualitative assessment was conducted for the terrorism hazard. Information from the U.S. Department of Homeland Security, FEMA, and the US Department of Justice was referenced to review the County's overall risk.

Wildfire

The Wildland-Urban Interface (Interface and Intermix) obtained through the SILVIS Laboratory, Department of Forest Ecology and Management, University of Wisconsin – Madison, was referenced to delineate wildfire hazard areas. The University of Wisconsin – Madison wildland fire hazard areas are based on the 2010 Census and 2006 National Land Cover Dataset and the Protected Areas Database. For this risk assessment, the high-, medium-, and low-density interface areas were combined and used as the “Interface” hazard area, and the high-, medium-, and low-density intermix areas were combined and used as the “Intermix” hazard areas.



To determine what assets are exposed to wildfire, available and appropriate GIS data were overlaid with the hazard area. Assets with their centroid located in the hazard area were totaled to estimate the totals and values exposed to a wildfire event.

Considerations for Mitigation and Next Steps

The following items are to be discussed for considerations for the next plan update to enhance the vulnerability assessment:

- All Hazards
- Create an updated user-defined general building stock dataset
- Utilize updated and current demographic data.
Flood
- The general building stock inventory can be updated to include attributes regarding first floor elevation and foundation type
- Conduct a Hazus loss analysis for more frequent flood events
Earthquake
- Identify unreinforced masonry in critical facilities and privately-owned buildings
Extreme Temperatures
- Track extreme temperature data for injuries, deaths, shelter needs, pipe freezing, agricultural losses, and other impacts
Severe Storm
- The general building stock inventory can be updated to include attributes regarding protection against strong winds
Wildfire
- General building stock inventory can be updated to include attributes such as roofing material or fire detection equipment

5.4.3 Data Source Summary

Table 5.4-3 summarizes the data sources used for the risk assessment for this plan.

Table 5.4-3. Risk Assessment Data Documentation

Table with 4 columns: Data, Source, Date, Format. Row 1: Population data, U.S. Census Bureau; American Community Survey 5-Year Estimates, 2010; 2018, Digital (GIS) format





Data	Source	Date	Format
Building Inventory	Putnam Parcel Data, Real Property Tax Data, Tetra Tech	2014	Digital (GIS) format
Wildfire Fuel Hazard	University of Wisconsin - Madison	2010	Digital (GIS) format
Critical facilities	Putnam Planning Partnership and County Jurisdictions	2014/2020	Digital (GIS) format
Digitized Effective FIRM maps (2013)	FEMA	2013	Digital (GIS) format
NEHRP Soil	NYS	n.d.	Digital (GIS) format
1/3 Arc Second and 2-meter Resolution Digital Elevation Model	New York State Orthos Online, USGS, and Tetra Tech	2014	Digital (GIS) format
New Development Data	Putnam Planning Partnership and County Jurisdictions	2020	Digital (GIS) Format

Limitations

Loss estimates, exposure assessments, and hazard-specific vulnerability evaluations rely on the best available data and methodologies. Uncertainties are inherent in any loss estimation methodology and arise in part from incomplete scientific knowledge concerning natural hazards and their effects on the built environment. Uncertainties also result from the following:

- 1) Approximations and simplifications necessary to conduct such a study
- 2) Incomplete or dated inventory, demographic, or economic parameter data
- 3) The unique nature, geographic extent, and severity of each hazard
- 4) Mitigation measures already employed by the participating municipalities
- 5) The amount of advance notice residents have to prepare for a specific hazard event
- 6) Uncertainty of climate change projections

These factors can result in a range of uncertainty in loss estimates, possibly by a factor of two or more. Therefore, potential exposure and loss estimates are approximate. These results do not predict precise results and should be used to understand relative risk. Over the long term, Putnam County will collect additional data to collect additional data, update and refine existing inventories, to assist in estimating potential losses.

Potential economic loss is based on the present value of the general building stock utilizing best available data. The County acknowledges significant impacts may occur to critical facilities and infrastructure as a result of these hazard events causing great economic loss. However, monetized damage estimates to critical facilities and infrastructure, and economic impacts were not quantified and require more detailed loss analyses. In addition, economic impacts to industry such as tourism and the real-estate market were not analyzed.